

DK-US030627

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of :
Manabu YOSHIMI et al. :
Serial No.: New – (National Phase of :
PCT/JP2004/015593) :
International filing date: October 21, 2004 :
For: METHOD FOR INSTALLING :
REFRIGERATION DEVICE, AND :
REFRIGERATION DEVICE (As Amended) :

INFORMATION DISCLOSURE STATEMENT

Assistant Commissioner of Patents
Washington, DC 20231


Sir:

In accordance with MPEP 609 and 37 C.F.R. §§ 1.56, 1.97 and 1.98, Applicants bring the references listed on the attached PTO-1449-Form to the Examiner's attention and request that they be considered and made of record in this application. Copies of the non-U.S. patents are attached.

* * *

Prompt examination on the merits is respectfully requested.

Respectfully submitted,



David L. Tarnoff
Reg. No. 32,383

SHINJYU GLOBAL IP COUNSELORS, LLP
1233 Twentieth Street, NW, Suite 700
Washington, DC 20036
(202)-293-0444
Dated: 3 - 30 - 06

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449A/PTO

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

Complete if Known

Application Number	PCT/JP2004/015593 398 by
Filing Date	International date - October 21, 2004
First Named Inventor	Manabu YOSHIMI et al.
Group Art Unit	
Examiner Name	
Attorney Docket Number	DK-US030627

U.S. PATENT DOCUMENTS

[illegible]

FOREIGN PATENT DOCUMENTS

Examiner Initials*	Cite No. ¹	Foreign Patent Document	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T ⁶
		Country Code ³ - Number ⁴ - Kind Code ⁵ (if known)				
		JP-H5-69571 U	09-21-1993	Yoshida		Yes
		JP-H10-197112 A	07-31-1998	Koba		Yes
		JP-H10-213363 A	08-11-1998	Numamoto et al.		Yes
		JP-H11-23115 A	01-26-1999	Murata et al.		Yes
		JP-H11-248298 A	09-14-1999	Sato et al.		Yes
		JP-2000-18737 A	01-18-2000	Kita et al.		Yes
		JP-2003-279169 A	10-02-2003	Yamashita		Yes

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04.

³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. ⁶ Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO:** Assistant Commissioner for Patents, Washington, DC 20231.